

NEW !


Our Vmux virtual interface software gets a makeover! The same purpose - to transfer data from Sylvac instruments connected by Bluetooth® or cable to third-party Windows software - but a completely new concept for Vmux2, which we invite you to discover without further ado.




How do I get the new version?

You can download the new version directly from our [website](#) or order it from your agent.

There is no upgrade from Vmux to Vmux2.

The benefits of the new version


- New design and graphics for a simplified, enhanced user experience inspired by our Sylcom software concept.
- Choose between LITE (free) and PRO versions, depending on the number of instruments to be connected and the features required.
- Connection console for easy viewing of instruments and connectable Bluetooth® triggers, as well as connected Bluetooth® dongle(s) and remaining capacity.
- Possibility of assigning one or more triggers to a group of instruments or to an individual instrument.
- Selectable data export format for number of digits, as well as the option of suppressing the sending of the + sign for positive values.
- Tolerance status can be displayed for instruments with this feature.
- Configuration management.
- Check instrument status against next calibration date, with the option of sending a reminder message x days before the due date, or blocking the instrument when the date has passed.
- Selection of elements to be exported, value only or in addition: instrument name, date and time, serial number, instrument identifier and channel number.
- Export values by choosing between "Focus" to the software in the foreground, "File" to a selected file, or "COM Port" to redirect values to a virtual COM port.
- Restricted mode for password-protected settings.
- Option to send a command to the instrument from a drop-down list.



**Clear display of
connected instruments**



**Easy connection of
instruments**



**Simplified export
configuration**

The versions

The different versions

Vmux LITE

FREE VERSION

- Maximum 1 instrument and 1 footpedal connected via cable or Bluetooth® connection
- Bi-directional communication
- Export your dimensional data in CSV or Excel file
- Export your values from USB or Bluetooth® over Port COM
- Export: focus window (where the cursor is active)
- Runs in Windows back-ground

www.sylvac.ch/vmux

Vmux Standard

- Includes all basic functions

+ STANDARD FUNCTIONS

- Up to 16 instruments connected
- Automatic instrument selection
- Manage calibration date

www.sylvac.ch/vmux

Vmux Pro

- Includes all Standard functions

+ PRO FUNCTIONS

- Up to 64 instruments connected
- Sending instrument-specific commands

60-day free trial

www.sylvac.ch/vmux


Accessories



Proximity-USB cable
(926-6721)



Power-USB cable
(926-6821)



Bluetooth® Dongle
(981-7100)



Bluetooth® 5 Dongle
(981-7102)



Bluetooth® pedal
(926-7022)



Download Vmux2